Diagrams of restrictions on electrical switchgear under Article 13 of the F-Gas Regulation (EU 2024/573)

Please note: this is unofficial support material intended to aid compliance with the regulation. Regulation (EU) 2024/573 of the European Parliament and of the Council on fluorinated greenhouse gases is directly binding.



The diagrams illustrate the procurement procedure. The procurement procedure takes into account the technical specificities of the equipment required for the specific use.

The exception in Article 13(13) which concerns the assessment of lifecycle carbon dioxide emissions in accordance with ecodesign requirements, cannot be applied until ecodesign requirements for electrical switchgear have been established. Currently, authorities have no information on the timeline for the potential preparation of these requirements, and the preparation is a process that will take several years. Other lifecycle calculations are not considered in the F-gas regulation. Information on ecodesign (in Finnish and Swedish) can be found at: https://ekosuunnittelu.info/, which is the official information channel for ecodesign regulations in Finland.


Finnish Environment Institute (Syke)

https://www.ymparisto.fi/en/permits-and-obligations/f-gases-and-ozone-depleting-substances


F-gas@syke.fi or kirjaamo@syke.fi








Finnish Environment Institute




Electrical switchgear > 24 kV and ≤ 52




⁴ Please note: The diagrams are unofficial support material. Regulation (EU) 2024/573 of the European Parliament and of the Council on fluorinated greenhouse gases is directly binding.

Electrical switchgear ≥ 52 kV ja ≤ 145 kV



Electrical switchgear > 145 kV





https://www.ymparisto.fi/en/permits-and-obligations/f-gases-and-ozone-depleting-substances F-gas@syke.fi or kirjaamo@syke.fi

